

**Concord Municipal Light Plant
High Efficiency Lighting Program
Commercial Lighting Waste Disposal Form**

Customer Business Name: _____
Project Address: _____
Lighting Contractor/Installer: _____

Waste rules include: The U.S. EPA and State of Massachusetts Universal Waste Rule (310 CMR 30.1000) for disposal of lamps containing mercury, and the U.S. Toxics Substance Control Act and EPA Rules for disposal of ballasts containing PCBs.

- All lamps and ballasts** from this project were disposed of in accordance with applicable federal, state and local waste disposal regulations.
- Documentation of disposal method** is or will be provided. An invoice, receipt, bill of lading or hazardous waste manifest must be provided to document disposal of fluorescent lamps and ballasts from this project within six (6) months of the completion of the project. Either the Concord Light customer or the project contractor (or vendor) may provide the documentation.

SECTION 1	LAMP DISPOSAL
------------------	----------------------

Number of fluorescent LAMPS disposed of: 4-ft. _____ 8-ft. _____ Other Size _____

HID lamp count: Mercury Vapor _____, Metal Halide _____, High Pressure Sodium _____

Disposal Method (check all that apply):

- Recycled Recycling firm name: _____
- Hazardous waste disposal event or facility
- Other (describe) _____

SECTION 2	PCB BALLAST DISPOSAL
------------------	-----------------------------

Number of PCB BALLASTS disposed of: _____

Disposal Method (check all that apply):

- Recycled Recycling firm name: _____
- Hazardous waste disposal event or facility
- Other (describe) _____

SECTION 3	AUTHORIZED SIGNATURES
------------------	------------------------------

The signee(s) of this form certifies all ballasts and lamps were removed from service and disposed of in accordance with above waste rules.

Lighting Contractor/Installer/Vendor Date

Owner/Business Representative Date