

325 Main Street  
Barn Door Detail




Tilt-up-door custom door

- 18' x 8'6" opening dimension
- Structural awning door
- Covered with 1 x 6 (5.5" dimension) V-groove vertical siding, Azek, painted
- Hardware to match existing handle

**Illustration of Tilt-up-Door design**

*Selected to eliminate horizontal lines of traditional overhead door*



325 Main Street

House Door Details - Simpson Door Company

Full Wood Door - Ovolo Exterior Sticking Profile



## 77512 NANTUCKET

---

**SERIES:** [Nantucket Collection™](#)

**TYPE:** Exterior French & Sash

**APPLICATIONS:** Can be used for a swing door, Dutch Door, with barn track hardware, with pivot hardware, in a patio swing door or slider system and many other applications for the home's exterior.

### **MATCHING COMPONENTS**


[Nantucket Sidelight \(77804\)](#)

**Construction Type:** Two-Piece Laminated Wood Stiles and Rails with Modified Mortise-and-Tenon Stile/Rail Joinery

**Panels:** 3/4" Flat Panel or 1-7/16" Innerbond® Double Hip-Raised Panel

**Profile:** Ovolo Sticking or Shaker Sticking

**Glass:** 3/4" Insulated Glazing



## 77015 NANTUCKET

---

**SERIES:** [Nantucket Collection™](#)

**TYPE:** Exterior French & Sash

**APPLICATIONS:** Can be used for a swing door, with barn track hardware, with pivot hardware, in a patio swing door or slider system and many other applications for the home's exterior.

### **MATCHING COMPONENTS**

[Nantucket Sidelight \(77705\)](#)

**Construction Type:** Two-Piece Laminated Wood Stiles and Rails with Modified Mortise-and-Tenon Stile/Rail Joinery

**Profile:** Ovolo Sticking or Shaker Sticking

**Glass:** 3/4" Insulated Glazing

325 Main Street

Front Door Details

- Custom four panel wood door to duplicate existing
- Five-lite transom to match windows
  - 5/8" SDL with spacer bar
  - Ovolo Exterior Glazing profile

