

CRM CONSTRUCTION 45 BARTLETT HILL, CONCORD

Quote #: 4UT1TQJ

A Proposal for Window and Door Products prepared for:

Shipping Address:

MACLEOD & MOYNIHAN WINDOW & DOOR
10 WHEELER CT
WATERTOWN, MA 02472-2883



YOUR WINDOW & DOOR SPECIALISTS
JEFFREY JONES

MACLEOD & MOYNIHAN WINDOW &
DOOR

10 Wheeler Court
Watertown, MA 02472
Phone: (617) 923-5272

Email: jeff@macmoy.com

This report was generated on 5/4/2023 12:29:01 PM using the Marvin Order Management System, version 0004.02.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:


MARVIN 

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Line #1	Mark Unit:			
Qty: 2				

MARVIN



As Viewed From The Exterior

FS 21 1/2" X 55 3/4"
 RO 22 1/2" X 56 1/4"

Egress Information

Width: 18 3/8" Height: 22 31/32"
 Net Clear Opening: 2.93 SqFt


Performance Information

U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.32
 Visible Light Transmittance: 0.54
 Condensation Resistance: 56
 CPD Number: MAR-N-272-01474-00001
 ENERGY STAR: N, NC
Performance Grade
 Licensee #783
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1054X1924 mm (42X76.8 in)
 LC-PG40 DP +40/-40
 FL6525

Stone White Exterior
 White Interior
 Elevate Double Hung
 CN 2256
 Rough Opening 22 1/2" X 56 1/4"
 Top Sash
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 Bottom Sash
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 White Weather Strip Package
 White Sash Lock
 Exterior Aluminum Screen
 Stone White Surround
 Bright View Mesh
 4 9/16" Jamb
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change

Line #2	Mark Unit:			
Qty: 1				

MARVIN



As Viewed From The Exterior

FS 77" X 55 3/4"

Stone White Exterior
 White Interior
 Elevate Direct Glaze Rectangle
 Frame Size 77" X Rough Opening 56 1/4"
 Rough Opening 78" X 56 1/4"
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Additional Mull Info: Stand Alone
 4 9/16" Jamb
 Nailing Fin DH/GL/DR Frame
 ***Note: Unit Availability and Price is Subject to Change

RO 78" X 56 1/4"

Egress Information


No Egress Information available.

Performance Information

U-Factor: 0.27
 Solar Heat Gain Coefficient: 0.35
 Visible Light Transmittance: 0.6
 Condensation Resistance: 58
 CPD Number: MAR-N-303-04514-00001
 ENERGY STAR: N, NC
Performance Grade
 Licensee #876
 AAMA/WDMA/CSA/101/1.S.2/A440-11
 CW-PG50 2134X2134 mm (84X84 in)
 CW-PG50 DP +50/-50
 FL10172

Line #3	Mark Unit:			
Qty: 4				

MARVIN



As Viewed From The Exterior

FS 33 1/2" X 55 3/4"

RO 34 1/2" X 56 1/4"

Egress Information

Width: 30 3/8" Height: 22 31/32"

Net Clear Opening: 4.85 SqFt

Performance Information


U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.32
 Visible Light Transmittance: 0.54
 Condensation Resistance: 56
 CPD Number: MAR-N-272-01474-00001
 ENERGY STAR: N, NC
Performance Grade
 Licensee #783
 AAMA/WDMA/CSA/101/1.S.2/A440-08
 LC-PG40 1054X1924 mm (42X76.8 in)
 LC-PG40 DP +40/-40
 FL6525

Stone White Exterior
 White Interior,
 Elevate Double Hung,
 CN 3456
 Rough Opening 34 1/2" X 56 1/4"
 Top Sash
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 Bottom Sash
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 White Weather Strip Package
 White Sash Lock
 Exterior Aluminum Screen,
 Stone White Surround
 Bright View Mesh
 4 9/16" Jamb
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change

Line #4	Mark Unit:			
Qty: 5				

MARVIN

Stone White Exterior
 White Interior,
 Elevate Double Hung,
 CN 3056
 Rough Opening 30 1/2" X 56 1/4"
 Top Sash



As Viewed From The Exterior

FS 29 1/2" X 55 3/4"
RO 30 1/2" X 56 1/4"

Egress Information

Width: 26 3/8" Height: 22 31/32"

Net Clear Opening: 4.21 SqFt

Performance Information

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.32

Visible Light Transmittance: 0.54

Condensation Resistance: 56

CPD Number: MAR-N-272-01474-00001

ENERGY STAR: N, NC

Performance Grade

Licensee #783

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG40 1054X1924 mm (42X76.8 in)

LC-PG40 DP +40/-40


FL6525

- Stone White Exterior
- White Interior
- IG - 1 Lite
- Low E2 w/Argon
- Stainless Perimeter Bar
- Bottom Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Low E2 w/Argon
- Stainless Perimeter Bar
- White Weather Strip Package
- White Sash Lock
- Exterior Aluminum Screen
- Stone White Surround
- Bright View Mesh
- 4 9/16" Jamb
- Nailing Fin

***Note: Unit Availability and Price is Subject to Change

Line #5	Mark Unit: BATH TEMPERED			
Qty: 2				

MARVIN



As Viewed From The Exterior

FS 29 1/2" X 39 3/4"

RO 30 1/2" X 40 1/4"

Egress Information

Width: 26 3/8" Height: 14 31/32"

Net Clear Opening: 2.74 SqFt

Performance Information

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.32

Visible Light Transmittance: 0.54

Condensation Resistance: 56


- Stone White Exterior
- White Interior
- Elevate Double Hung
- CN 3040
- Rough Opening 30 1/2" X 40 1/4"
- Glass Add For All Sash
- Top Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Tempered Low E2 w/Argon
- Stainless Perimeter Bar
- Bottom Sash
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Tempered Low E2 w/Argon
- Stainless Perimeter Bar
- White Weather Strip Package
- White Sash Lock
- Exterior Aluminum Screen
- Stone White Surround
- Bright View Mesh
- 4 9/16" Jamb
- Nailing Fin

***Note: Unit Availability and Price is Subject to Change

CPD Number: MAR-N-272-01474-00001
 ENERGY STAR: N, NC
Performance Grade
 Licensee #783
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1054X1924 mm (42X76.8 in)
 LC-PG40 DP +40/-40
 FL6525

Line #6	Mark Unit:			
Qty: 4				

MARVIN



As Viewed From The Exterior

FS 29 1/2" X 39 3/4"
 RO 30 1/2" X 40 1/4"
Egress Information
 Width: 26 3/8" Height: 14 31/32"
 Net Clear Opening: 2.74 SqFt


Performance Information
 U-Factor: 0.28
 Solar Heat Gain Coefficient: 0.32
 Visible Light Transmittance: 0.54
 Condensation Resistance: 56
 CPD Number: MAR-N-272-01474-00001
 ENERGY STAR: N, NC
Performance Grade
 Licensee #783
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1054X1924 mm (42X76.8 in)
 LC-PG40 DP +40/-40
 FL6525

Stone White Exterior
 White Interior
 Elevate Double Hung
 CN 3040
 Rough Opening 30 1/2" X 40 1/4"
 Top Sash
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 Bottom Sash
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 White Weather Strip Package
 White Sash Lock
 Exterior Aluminum Screen
 Stone White Surround
 Bright View Mesh
 4 9/16" Jamb
 Nailing Fin
 ***Note: Unit Availability and Price is Subject to Change


Line #7	Mark Unit:			
Qty: 1				

MARVIN

Stone White Exterior
 White Interior
 Elevate Inswing French Door 4 9/16" - X Left Hand
 CN 2865
 Rough Opening 33 5/16" X 80"
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E2 w/Argon
 Stainless Perimeter Bar
 Multi-Point Lock
 Northfield Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
 Northfield Handle Satin Nickel PVD Interior Primary Handle Set
 Keyed Alike - Keyed Alike Group 1



Active



As Viewed From The Exterior

FS 32 5/16" X 79 1/2"

RO 33 5/16" X 80"

Egress Information

Width: 27 5/16" Height: 75 3/4"

Net Clear Opening: 14.37 SqFt

Performance Information

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 62

CPD Number: MAR-N-306-00598-00001

ENERGY STAR: N, NC

Performance Grade

Licensee #936

AAMA/WDMA/CSA/101/I.S.2/A440-08

LC-PG30 1803X2425 mm (71X95.5 in)


LC-PG30 DP +30/-30

FL10196

- Satin Nickel PVD Adjustable Hinges
- Exterior Swinging Screen
- Stone White Surround
- Bright View Mesh
- ***Screen/Combo Ship Loose
- Bronze Ultrex Sill / Black Weather Strip
- 4 9/16" Jamb
- Nailing Fin
- ***Note: Unit Availability and Price is Subject to Change

Line #8	Mark Unit:			
Qty: 1				

MARVIN



Active

Stat

As Viewed From The Exterior

FS 95" X 82"

RO 96" X 82 1/2"

Egress Information

Width: 41 17/64" Height: 77 15/64"

Net Clear Opening: 22.13 SqFt

Performance Information

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.49

Condensation Resistance: 57


CPD Number: MAR-N-429-00566-00001

- Stone White Exterior
- White Interior
- Elevate Sliding French Door XO
- CN 8068
- Rough Opening 96" X 82 1/2"
- Left Panel
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Tempered Low E2 w/Argon
- Stainless Perimeter Bar
- Right Panel
- Stone White Exterior
- White Interior
- IG - 1 Lite
- Tempered Low E2 w/Argon
- Stainless Perimeter Bar
- White Interior Weather Strip Package
- Multi-Point Lock
- Northfield Handle Satin Nickel PVD Keyed Exterior Primary Handle Set
- Northfield Handle Satin Nickel PVD Interior Primary Handle Set
- Keyed Alike - Keyed Alike Group 1
- Exterior Sliding Screen
- Stone White Surround
- Bright View Mesh
- ***Screen/Combo Ship Loose
- Bronze Ultrex Sill / Black Weather Strip
- 4 9/16" Jamb
- Nailing Fin
- ***Note: Unit Availability and Price is Subject to Change

ENERGY STAR: N, NC
Performance Grade
 Licensee #1128
 101/I.S.2/A440-08
 LC-PG40 2413X2184 mm (96X86 in)
 LC-PG40 DP +40/-40
 FL10956

Line #9	Mark Unit: KITCHEN SINK			
Qty: 1				

MARVIN



As Viewed From The Exterior

FS 64" X 39 1/8"
RO 65" X 39 5/8"
Egress Information A1, A2
 Width: 23 15/64" Height: 34 23/32"
 Net Clear Opening: 5.60 SqFt
Performance Information A1, A2
 U-Factor: 0.27
 Solar Heat Gain Coefficient: 0.3
 Visible Light Transmittance: 0.51
 Condensation Resistance: 59
 CPD Number: MAR-N-250-01012-00001
 ENERGY STAR: N, NC
Performance Grade A1, A2
 Licensee #898
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG50 914X994 mm (37X39.5 in)
 LC-PG50 DP +50/-50
 FL9684
Performance Grade Mull
 Licensee #898
 AAMA 450-10
 LC-PG50 2844X1829 mm (56X72 in)
 LC-PG50 DP 50
 FL14133
Performance Grade Overall Assembly
 LC-PG50 DP

Stone White Exterior
 White Interior
 2W1H - Rectangle Assembly
 Assembly Rough Opening
 65" X 39 5/8"

Unit: A1
 Elevate Casement - Left Hand
 CN 3339
 Rough Opening 33" X 39 5/8"
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 White Surround

Unit: A2
 Elevate Casement - Right Hand
 CN 3339
 Rough Opening 33" X 39 5/8"
 Stone White Exterior
 White Interior
 IG - 1 Lite
 Low E2 w/Argon
 Stainless Perimeter Bar
 White Folding Handle
 Interior Aluminum Screen
 Bright View Mesh
 White Surround

4 9/16" Jamb
 Nailing Fin w/ Certification Brackets
 ***Note: This configuration is certified to AAMA 450.
 ***Note: Unit Availability and Price is Subject to Change